



RANGE OF DECORATIVE PRODUCTS

INNER
LAMINATES



INNER LAMINATES

SCAN FOR



E-CATALOGUE





Established in 1989, Rang Décor has become a beacon of innovation in the realm of interior design and décor. With unwavering dedication and a passion for excellence, we have set new benchmarks, leaving a lasting legacy in the industry. In 2015, we embarked on a transformative journey with the launch of our iconic brand name, **“Rang Décor.”**

PASSION

Our team is driven by a love for design and aesthetics. We pour our hearts into every project, ensuring that each design is a work of art. We stay updated on the latest design trends to bring fresh ideas and creativity to make each product unique.

INTEGRITY

Our commitment to ethical practices means we deliver on promises and maintain transparent communication, building lasting relationships with our clients.


TRUST

Client trust is paramount. We understand our client’s needs and preferences, ensuring that we deliver services that exceed their expectations.

INNOVATION


We keep constantly evolving with new trends in building materials industry to offer the best products which can transform spaces aesthetically.

WOODEN



FABRIC

**PLAIN
COLOUR**





PRODUCT CHARACTERISTICS

- Our Liner laminates provide much of class together with protection from humidity.
- Reduces warp-age to 3 ply fabrication .
- Ultra-Thin laminates useful in balancing sides.

SPECIFICATION

- Size : 2440mm X 1220mm
- Thickness : 0.72mm, 0.92mm
- Finish : Matt and Sued

STORAGE

- Please store the sheets horizontally with a thick board at top and bottom to avoid any damage.
- Vertical storing is not recommended for Liner Laminates.
- Protect it from water and moisture and never store directly on the floor or touching the wall.

MAINTENANCE

- The Rang Liners need to be cared as other laminates, no extra or special maintenance needed.
- The decorative surface of the Rang Liner may be cleaned with a damp cloth, mild soaps and warm water.

NOTE

- Do not use cleaners that contain acids or abrasives.
- Do not use any bleach except hypochlorite followed by clean water to remove stains.
- We will not be responsible if:
 - Accidents, Abuse or Misuse Happens.
 - Exposed to extreme heat, Temperature or Corrosive Atmosphere.
 - Improper Installation or Application.
 - Wrong Maintenance.



Do not use
Chemicals for
Cleaning



Carpenter
friendly easy
to apply



Keep away
from direct
sunlight



Engineered
for internal
use only



Borer free
Laminates




Fabric-inspired finishes designed to bring warmth and sophistication to every space.



L-436 SF
THICKNESS : 0.72 MM

STYLE
IN
EVERY
FABRIC

These fabric textures
are meticulously
designed to withstand
any weather and to be
scratch- resistant!



L-448 SF
THICKNESS : 0.72 MM




Get the ease of laminates and details of fabric in one product.



L-438 SF
THICKNESS : 0.72 MM




L-449 SF
THICKNESS : 0.72 MM



L-446 SF
THICKNESS : 0.72 MM



Textile-inspired surfaces that add warmth, elegance and a refined tactile character to modern interiors.



L-442 SF
THICKNESS : 0.72 MM



L-440 SF
THICKNESS : 0.72 MM



L-447 SF
THICKNESS : 0.72 MM



Do not use
Chemicals for
Cleaning



Carpenter
friendly easy
to apply



Keep away
from direct
sunlight



Engineered
for internal
use only



Borer free
Laminates

Rich fabric-inspired textures that add warmth and character to modern spaces.



L-441 SF
THICKNESS : 0.72 MM



L-424 SF
THICKNESS : 0.72 MM



TEXTURE
WITH
CHARACTER




L-445 SF
THICKNESS : 0.72 MM



Bring the richness of fabric together with the durability and versatility of laminates.



L-422 SF
THICKNESS : 0.72 MM




L-420 SF
THICKNESS : 0.72 MM



L-444 SF
THICKNESS : 0.72 MM




Balance expressive textures with understated colours for effortlessly elegant spaces.




L-454 + SF
THICKNESS : 0.72 MM



L-455 + SF
THICKNESS : 0.72 MM




L-456 + SF
THICKNESS : 0.72 MM




L-457 + SF
THICKNESS : 0.72 MM




A refined blend of textured fabrics and timeless colours for versatile interiors.




L-452 SF
THICKNESS : 0.72 MM



L-453 SF
THICKNESS : 0.72 MM



L-401 MT/SF
THICKNESS : 0.72 MM, 0.92 MM



L-402 MT
THICKNESS : 0.72 MM



Do not use
Chemicals for
Cleaning



Carpenter
friendly easy
to apply



Keep away
from direct
sunlight



Engineered
for internal
use only



Borer free
Laminates

ELEGANCE MEETS WARMTH



L-461 SF
THICKNESS : 0.72 MM



L-462 SF
THICKNESS : 0.72 MM



Where natural wood character meets the softness of fabric-inspired textures.



L-463 SF
THICKNESS : 0.72 MM



L-467 SF
THICKNESS : 0.72 MM



NATURAL
MEETS
REFINED



L-465 SF
THICKNESS : 0.72 MM



WOOD
MEETS
FABRIC



L-468 SF
THICKNESS : 0.72 MM



L-466 SF
THICKNESS : 0.72 MM



L-464 SF
THICKNESS : 0.72 MM

TECHNICAL SPECIFICATION

Properties	Specified Values as per IS: 2046-1993 type S, VGS	Confirms
Resistance to scratching	2.0 N (Minimum)	2.75 N (Minimum)
Resistance to impact by small diameter ball	20 N (Minimum)	25 N (Minimum)
Resistance to cracking	Not worse than 4	
Resistance to staining	Not worse than 5	
Dimensional Stability at deviated temperature - Longitudinal (%) - Transverse (%)	0.55% (Maximum) 1.025% (Maximum)	0.5% Max. 0.87% Max.
Dimensional Stability at 20° C - Longitudinal (%) - Transverse (%)	0.375% (Maximum) 0.60% (Maximum)	0.295% Max. 0.45% Max.
Resistance to surface wear	350 (Revolution)	> 350 (Revolution)
Resistance to cigarette burns	Not worse than 3	
Resistance to color change (Wool Standard) - In xenon arc light - In endosed carbon arc light	Not worse than 5 Not worse than 5	
Resistance to dry heat 180° C	Not worse than 4	
Resistance to immersion in boiling water - Mass increase (%) - Thickness increase (%) - Appearance	10.0% (Maximum) 11.8% (Maximum) Not worse than 4	5.0% Max. 6.5% Max.


INDEX

Sr. No.	D. NO.	Finish	Pg. No.
1	L-401	MT/SF	14
2	L-402	MT	14
3	L-420	SF	9
4	L-422	SF	9
5	L-424	SF	7
6	L-436	SF	1
7	L-438	SF	3
8	L-440	SF	6
9	L-441	SF	7
10	L-442	SF	5
11	L-444	SF	10
12	L-445	SF	8
13	L-446	SF	4
14	L-447	SF	6
15	L-448	SF	2
16	L-449	SF	3
17	L-452	SF	13
18	L-453	SF	13
19	L-454 +	SF	11
20	L-455 +	SF	11
21	L-456 +	SF	12
22	L-457 +	SF	12
23	L-461	SF	16
24	L-462	SF	16
25	L-463	SF	17
26	L-464	SF	20
27	L-465	SF	18
28	L-466	SF	20
29	L-467	SF	17
30	L-468	SF	19

BONDED FABRIC SURFACES

emphasizes a sense of harmony, calmness and simplicity.





Rang[®]

RANGE OF DECORATIVE PRODUCTS

OUR RANGE OF PRODUCTS

LITIA[®] FLUTED ACRYLIC	MASKARA[®] 6H ACRYLIC LAMINATE	FADED[™] ACRYLIC 2.0
ONIT[®] SEAMLESS CHARCOAL	ART BY ONE[®] DECORATIVE LOUVERS	WALLMATE[™] DECORATIVE LOUVERS
GROOVE[®] FOREST COLLECTION LOUVERS	GROOVE[®] EARTH COLLECTION LOUVERS	GROOVE[®] PASTEL COLLECTION LOUVERS
Charco[®] CHARM DECORATIVE CHARCOAL PANELS	INTERLOCKIT[™] WALLCLADS & FITTINGS	BERN[®] THE META THERMO MICA
NAZRANA[®] ENGRAVED ACRYLIC	MDF HEAVY - HIGH DENSITY MOISTURE HIGH RESISTANCE	BELLA CEILO[™] SOFFIT PANEL
POWER BOARD 500 X PVC, WPC BOARD	ECO BOARD AFFORDABLE WPC BOARD	HYBRID BOARD 600 X PVC, WPC BOARD



rangdecor.in
Follow us on :   