Rang®

RANGE OF DECORATIVE PRODUCTS

ACRYLIC

6H

MASKARA®

6H ACRYLIC LAMINATE

DILIPJI BHANDARI GROUP®

Rang®

RANGE OF DECORATIVE PRODUCTS

Established in 1989, Rang Décor has become a beacon of innovation in the realm of interior design and décor. With unwavering dedication and a passion for excellence, we have set new benchmarks, leaving a lasting legacy in the industry. In 2015, we embarked on a transformative journey with the launch of our iconic brand name, **“Rang Décor.”**

**PASSION**
Our team is driven by a love for design and aesthetics. We pour our hearts into every project, ensuring that each design is a work of art. We stay updated on the latest design trends to bring fresh ideas and creativity to make each product unique.

**INTEGRITY**
Our commitment to ethical practices means we deliver on promises and maintain transparent communication, building lasting relationships with our clients.

**TRUST**
Client trust is paramount. We understand our client's needs and preferences, ensuring that we deliver services that exceed their expectations.

**INNOVATION**
We keep constantly evolving with new trends in building materials industry to offer the best products which can transform spaces aesthetically.





*vibrant shades to instantly uplift your furniture.*



# Bold Reflective Beauty



# CERTIFICATE

VIRTUE META-SOL
MATERIAL SOLUTIONS
SHOP NO: 687, GROUND FLOOR, SMR VINAY CAPITOL,
OPPOSITE BALANAGAR POLICE STATION, HYDERABAD, TELANGANA, INDIA. 500 042.

TEST REPORT

Issued to:
**Bhandari Agencies Pvt. Ltd.,**
**#14-1-395/1, Aghapura, Hyderabad.**

Test Report No : VML/R/24-25/0093-1/1
Test Report Date : 25.01.2025

**SAMPLE PARTICULARS**



| | | | |
|---|---|---|---|
| Sample Details | : Acrylic sheets | Reference Number | : NA |
| Sample Description | : Rang Maskara Acrylic | Reference Date | : NA |
| Packing Details | : Good | Date of Receipt | : 06.01.2025 |
| Test Required | : Chemical, Mechanical, Physical and Fire Resistance | Date of Testing | : 06.01.2025 |
| | | Date of Completion | : 25.01.2025 |

**TEST RESULTS**

| S. No | Test parameters | UOM | Specification | Results |
|---|---|---|---|---|
| I | **Chemical Properties** | | | |
| 1 | Material Identification | -- | Shall be PMMA | The given sample is subjected to FTIR analysis, spectrum showing the presence of **"Poly methyl methacrylate"** (Spectrum attached) |




**Test Method:** Fourier transform Infrared Spectroscopy.
*Disclaimer 1: This report relates only to the particular sample submitted for test.*
*Disclaimer 2: sample is done by the customer.*
***END OF THE REPORT***

REVIEWED AND AUTHORIZED BY



VIRTUE META-SOL
MATERIAL SOLUTIONS
SHOP NO: 687, GROUND FLOOR, SMR VINAY CAPITOL,
OPPOSITE BALANAGAR POLICE STATION, HYDERABAD, TELANGANA, INDIA. 500 042.

TEST REPORT

Issued to:
**Bhandari Agencies Pvt. Ltd.,**
**#14-1-395/1, Aghapura, Hyderabad.**

Test Report No : VML/R/24-25/0093-1/2
Test Report Date : 25.01.2025

**SAMPLE PARTICULARS**



| | | | |
|---|---|---|---|
| Sample Details | : Acrylic sheets | Reference Number | : NA |
| Sample Description | : Rang Maskara Acrylic | Reference Date | : NA |
| Packing Details | : Good | Date of Receipt | : 06.01.2025 |
| Test Required | : Chemical, Mechanical, Physical and Fire Resistance | Date of Testing | : 06.01.2025 |
| | | Date of Completion | : 25.01.2025 |

**TEST RESULTS**

| S. No | Test parameters | UOM | Specification | Results |
|---|---|---|---|---|
| I | **Physical Properties** | | | |
| 1 | Density | g/cc | -- | 1.19 |
| 2 | Moisture Content | % | -- | 0.83 |
| 3 | Thickness | mm | -- | 1.35 |
| 4 | Weight | Kg/m² | -- | 1.61 |

**Test Method:** VML/MECH/SOP/01
*Disclaimer 1: This report relates only to the particular sample submitted for test.*
*Disclaimer 2: sample is done by the customer.*
***END OF THE REPORT***

REVIEWED AND AUTHORIZED BY

BRANCH: PLOT NO: 1/B/2, PHASE – III, IDA, CHERLAPALLY, HYDERABAD, TELANGANA – 500 051.
E-MAIL ID: VIRTUE.MET@GMAIL.COM, PHONE NO. 9030181727, 9030931727.
*VMS/QF/7.8/TRF Rev 04 Mar'24*

VIRTUE META-SOL
MATERIAL SOLUTIONS
SHOP NO: 687, GROUND FLOOR, SMR VINAY CAPITOL,
OPPOSITE BALANAGAR POLICE STATION, HYDERABAD, TELANGANA, INDIA. 500 042.

TEST REPORT

Issued to:
**Bhandari Agencies Pvt. Ltd.,**
**#14-1-395/1, Aghapura, Hyderabad.**

Test Report No : VML/R/24-25/0093-1/3
Test Report Date : 25.01.2025

**SAMPLE PARTICULARS**



| | | | |
|---|---|---|---|
| Sample Details | : Acrylic sheets | Reference Number | : NA |
| Sample Description | : Rang Maskara Acrylic | Reference Date | : NA |
| Packing Details | : Good | Date of Receipt | : 06.01.2025 |
| Test Required | : Chemical, Mechanical, Physical and Fire Resistance | Date of Testing | : 06.01.2025 |
| | | Date of Completion | : 25.01.2025 |

**TEST RESULTS**

| S. No | Test parameters | UOM | Specification | Results |
|---|---|---|---|---|
| I | **Mechanical Properties** | | | |
| 1 | Flexural Strength | MPa | 80-120 | 85.23 |
| 2 | Scratch Test | Moh's | 3-6 | 6 |
| 3 | Tensile Strength | MPa | 30-50 | 41.19 |

**Test Method:** VML/MECH/SOP/01
*Disclaimer 1: This report relates only to the particular sample submitted for test.*
*Disclaimer 2: sample is done by the customer.*
***END OF THE REPORT***

REVIEWED AND AUTHORIZED BY

BRANCH: PLOT NO: 1/B/2, PHASE – III, IDA, CHERLAPALLY, HYDERABAD, TELANGANA – 500 051.
E-MAIL ID: VIRTUE.MET@GMAIL.COM, PHONE NO. 9030181727, 9030931727.
*VMS/QF/7.8/TRF Rev 04 Mar'24*

VIRTUE META-SOL
MATERIAL SOLUTIONS
SHOP NO: 687, GROUND FLOOR, SMR VINAY CAPITOL,
OPPOSITE BALANAGAR POLICE STATION, HYDERABAD, TELANGANA, INDIA. 500 042.

TEST REPORT

Issued to:
**Bhandari Agencies Pvt. Ltd.,**
**#14-1-395/1, Aghapura, Hyderabad.**

Test Report No : VML/R/24-25/0093-1/4
Test Report Date : 25.01.2025

**SAMPLE PARTICULARS**



| | | | |
|---|---|---|---|
| Sample Details | : Acrylic sheets | Reference Number | : NA |
| Sample Description | : Rang Maskara Acrylic | Reference Date | : NA |
| Packing Details | : Good | Date of Receipt | : 06.01.2025 |
| Test Required | : Chemical, Mechanical, Physical and Fire Resistance | Date of Testing | : 06.01.2025 |
| | | Date of Completion | : 25.01.2025 |

**TEST RESULTS**

| S. No | Test parameters | UOM | Specification | Results |
|---|---|---|---|---|
| I | **Fire Resistance** | | | |
| 1 | Fire Rating | -- | -- | B1 |
| 2 | Flame Spread Index | -- | 60-80 | 65 |
| 3 | Ignitability | -- | 400 - 460 | 450°C |
| 4 | Fire Endurance | min | 15-30 | 18 |

**Test Method:** VML/MECH/SOP/01
*Disclaimer 1: This report relates only to the particular sample submitted for test.*
*Disclaimer 2: sample is done by the customer.*
***END OF THE REPORT***

REVIEWED AND AUTHORIZED BY

BRANCH: PLOT NO: 1/B/2, PHASE – III, IDA, CHERLAPALLY, HYDERABAD, TELANGANA – 500 051.
E-MAIL ID: VIRTUE.MET@GMAIL.COM, PHONE NO. 9030181727, 9030931727.
*VMS/QF/7.8/TRF Rev 04 Mar'24*

VIRTUE META-SOL
MATERIAL SOLUTIONS
SHOP NO: 687, GROUND FLOOR, SMR VINAY CAPITOL,
OPPOSITE BALANAGAR POLICE STATION, HYDERABAD, TELANGANA, INDIA. 500 042.

TEST REPORT

Issued to:
**Bhandari Agencies Pvt. Ltd.,**
**#14-1-395/1, Aghapura, Hyderabad.**

Test Report No : VML/R/24-25/0093-1/5
Test Report Date : 25.01.2025

**SAMPLE PARTICULARS**



| | | | |
|---|---|---|---|
| Sample Details | : Acrylic sheets | Reference Number | : NA |
| Sample Description | : Rang Maskara Acrylic | Reference Date | : NA |
| Packing Details | : Good | Date of Receipt | : 06.01.2025 |
| Test Required | : Chemical, Mechanical, Physical and Fire Resistance | Date of Testing | : 06.01.2025 |
| | | Date of Completion | : 25.01.2025 |

**TEST RESULTS**

| S. No | Test parameters | UOM | Specification | Results |
|---|---|---|---|---|
| I | **Chemical Properties** | | | |
| V | Life of the Product (Durability) | - | | The sample was subjected to fluorescent ultraviolet (UV) exposure using a UVB lamp. The material was found to be free from dimensional changes and degradation. - (Durability: 7-10 Years) |

**Test Method:** VML/MECH/SOP/01
*Disclaimer 1: This report relates only to the particular sample submitted for test.*
*Disclaimer 2: sample is done by the customer.*
***END OF THE REPORT***

REVIEWED AND AUTHORIZED BY

BRANCH: PLOT NO: 1/B/2, PHASE – III, IDA, CHERLAPALLY, HYDERABAD, TELANGANA – 500 051.
E-MAIL ID: VIRTUE.MET@GMAIL.COM, PHONE NO. 9030181727, 9030931727.
*VMS/QF/7.8/TRF Rev 04 Mar'24*

# MASKARA®

## 6H ACRYLIC LAMINATE

**6H**
ANTI
SCRATCH

**100%**
PURE ACRYLIC

Edge Band Available Size : **1 MM X 25 MM***
**Sizes are Subject to Availability**

Acrylic Sheet Size : **2440 MM X 1220 MM (8ft X 4ft)**



E-CATALOGUE




**Do's & Don'ts** (क्या करें और क्या न करें)

**Do's** (क्या करें):
- Inspect material at the time of delivery. (डिलीवरी के समय मटेरीयल का निरीक्षण करें।)
- Use only matching batch material for consistent color. (समान रंग के लिए केवल मिलते-जुलते बैच की मटेरीयल का उपयोग करें।)
- Allow rolled sheets to rest flat for 48+ hours before pressing. (रोल्ड शीट्स को प्रेसिंग से पहले ४८ घंटे से अधिक समय तक फ्लैट रखें।)
- Clean with soft cloth and mild cleaners only. (साफ कपड़े और हल्के क्लीनर से ही सफाई करें।)
- Use high-quality water-based PEVA adhesive only. (केवल उच्च गुणवत्ता वाले वॉटर-बेस्ड PEVA एडहेसिव का उपयोग करें।)
- When rolling, keep gloss side facing outward and backside inward. (रोलिंग करते समय ग्लॉसी साइड बाहर और बैक साइड अंदर रखें।)
- Sand chemically dipped substrates before bonding. (बांडिंग से पहले रासायणमें डुबाई हुई सतहों को सैंड करें।)

**Don'ts** (क्या न करें):
- Do not use synthetic rubber, resin, or solvent-based adhesives. (सिंथेटिक रबर, रेजिन या सॉल्वेंट-बेस्ड एडहेसिव का उपयोग न करें।)
- Do not place hot cookware directly on the surface. (गर्म बर्तन को सीधे सतह पर न रखें।)
- Do not expose to direct sunlight or high heat sources. (प्रत्यक्ष सूर्य प्रकाश या उच्च ताप स्त्रोत के संपर्क में न लाएँ।)
- Do not use laminate for unintended applications. (अनुचित कार्यो जैसे हथौड़ा चलाना, आग में लगाना आदि के लिए लेमिनेट का उपयोग न करें।)
- Do not store sheets rolled or in an uneven condition. (शीट्स को मुड़ी हुई या असमान स्थिति में संग्रहित न करें।)
- Do not use improper or damaged cutting blades. (गलत या क्षतिग्रस्त काटने वाले ब्लेड का उपयोग न करें।)
- Do not rely on brochure images for exact color representation. (सटीक रंग प्रतिनिधित्व के लिए केवल ब्रोशर इमेज पर निर्भर न रहें।)

**Professional Handling Instructions**
- Inspect the material thoroughly on delivery and at the time of purchase. Ensure the product is damage-free before installation.
- If sheets are delivered rolled, unroll immediately and allow to rest flat for a minimum of 48 hours.
- During rolling, always ensure the glossy acrylic layer faces outward and the backside is inside.
- Use only water-based PEVA adhesives. Avoid synthetic rubber, resin, or solvent-based adhesives.
- Sand dipped plywood or non-standard substrates prior to application to avoid yellow patches.
- Use a proper acrylic cutting blade. Avoid damaged, bent, or non-standard blades for a clean, safe cut.

**Keeping the laminate stored improperly for many days after receiving can cause damage.**
- Always open the roll immediately after receiving to avoid damage or deformation.

Recommended Adhesive




ChipkaO®
MULTIPURPOSE GLUE

# MULTIPURPOSE GLUE

Available in : **900 gm & 4.5 kg**

# INFORMATION

**No Guarantee in any circumstances**
Like crack, bubble, color fade and color variation.
Please check material when delivered.

- No guarantee & no exchange in any circumstances.
- There can be color variation in material from different batches.
- It is advised to use same batch material to avoid color variations.
- Actual colors of the laminate sheet may vary from this brochure.



Please open the roll immediately.
Do not pressurize while opening roll.



Shake it well and lightly spray on the surface.



Wipe the surface clean using a light circular motion.

# WHAT'S INSIDE MASKARA?




**Note :** Rang warrants that all its products are free from manufacturing defects and perfectly ideal for use in normal conditions. In case of any manufacturing defect Rang is liable for product cost only. Thickness : 1.5 MM (±10%)

**Rang is not liable for any complains in the following cases:**

- Colour variation from batch-to-batch production.
- Improper handling of product or any transportation damage.
- Improper installation of product.
- Outdoor applications.
- Exposure of laminate sheet to direct sunlight.
- Visual differences may occur between physical product and e-catalogue or printed images.

**We are liable only on acrylic products not on plywood, glue and other material for installation.**

- It is advisable to check the batch number to avoid colour variation.
- Rang is not liable for any complaints if the product is not properly handled or installed. Maintain according to given guidelines.

**ACRYLIC LAMINATE :**

- Cleaning should be done with water and clean, non-abrasive cloth.
- To remove more stubborn stains, use mild household cleaners like colin to gently wipe down with a non abrasive cloth.
- Avoid the use of abrasive liquid cleaners, bleaching compounds or solutions as these may damage the surface of the laminate.
- Do not place hot cookware directly on the laminate, prolonged exposure to tempretures above 30° celsius may causes damage to the laminate surface.
- Do not use the laminate for purposes that it is not intended for (e.g. do not iron chop, hammer or expose the laminate to open flame).
- UV rays may deform the laminate.
- Do not use thinner or toluene on the surface of this laminate, as it may cause discoloration.
- Store the laminates at temperature below 30° celsius.
- Peel off the protective film after processing.

**PLEASE REMOVE PROTECTIVE FILM WITHIN 6/7 DAYS OF INSTALLATION**



LIGHT WEIGHT

The flawless design structure of our acrylic sheets is engineered to be extremely light weight and easy to apply.



TERMITE & BORER FREE

Advanced science enables our acrylic sheets to resist termites and borers for several years.



1.5MM THICKNESS

Advanced processing procures the right amount of manufactured thickness which provides forever strength to the laminate sheets.



WATER & STAIN PROOF

Our 6H acrylic sheets are manufactured to repel water and resist stains for a long time.



DURABILITY & STRENGTH

Our acrylic sheets developed with technologically advanced processing are Anti-Scratch and stain resistant.



IDEAL FOR VERTICAL APPLICATION

The exemplary adhesion properties enable our collection of acrylic sheets to be installed vertically.

# OUR STOCK POINTS



# MAKE IN INDIA

आत्मनिर्भर भारत
SELF-RELIANT INDIA

Rang manufactures premium acrylic sheets using film lamination on high-grade glass-acrylic surfaces — delivering superior finish, durability, and modern design.

Our upgraded range, Maskara 6H Acrylic, is engineered for stronger hardness, richer clarity, and made to deliver consistent finish quality.

From raw material to final sheet, every process is crafted in India with precision engineering, consistent quality, and next-gen technology.

Rang now proudly produces a fully upgraded acrylic range in India — innovated for India's interiors and built for the future.

# Area of Application




## Commercial

Maskara 6H acrylic elevates commercial interiors with a sharp, modern sheen that instantly feels premium. It supports high-traffic environments with a visually strong, contemporary presence. From reception counters to collaborative zones, it adds a sense of order, clarity and refined professionalism.



## Living Room

The smooth, elegant finish of Maskara 6H acrylic brings understated luxury to living spaces. It gently uplifts shelves, panels and TV units with a soft glow that blends beautifully into home aesthetics. Every corner feels warmer, more defined, and effortlessly stylish.



## Bedroom

Maskara's balanced colour palette and sleek texture create a calm atmosphere ideal for unwinding. It adds a sense of neatness and harmony to wardrobes, side tables and accent panels. The overall look feels composed, inviting and pleasantly modern.



## Kitchen

The bright, glossy surface of Maskara 6H acrylic gives kitchens a crisp, contemporary identity. It enhances cabinets and storage fronts with a fresh, unified look that instantly brightens the space. Everything appears more organised, polished and visually seamless.

MASKARA®

6H ACRYLIC LAMINATE





















# MASKARA®

6H ACRYLIC LAMINATE

MAKE IN INDIA

TERMITE & BORER FREE

2MM THICKNESS

LIGHT WEIGHT

DURABILITY & STRENGTH

IDEAL FOR VERTICAL APPLICATION

WATER & STAIN PROOF

100% PURE ACRYLIC

6H ANTI SCRATCH





RF 1000



RF 1002



RF 1028



RF 1001



RF 1016



RF 1059



RF 1052



RF 1061



RF 1053

EB Edge Band Available (1mm X 25mm)

# MASKARA®

6H ACRYLIC LAMINATE

MAKE IN INDIA

TERMITE & BORER FREE | 1.5MM THICKNESS | LIGHT WEIGHT | DURABILITY & STRENGTH | IDEAL FOR VERTICAL APPLICATION | WATER & STAIN PROOF | 100% PURE ACRYLIC | 6H ANTI SCRATCH

**RM 8301** OPAL WHITE — AUTO METALLIC

**RM 8303** FAWN — AUTO METALLIC

**RM 8313** MISTY ROSE — AUTO METALLIC

**RM 8322** ROSY — AUTO METALLIC

**RM 8323** LAVTONE — AUTO METALLIC

**RM 8346** BERRY — AUTO METALLIC

Rang®

RM 8343 SERENE GREEN AUTO METALLIC

RM 8334 GLACIER VEIL AUTO METALLIC

RM 8330 PEPPERMINT AUTO METALLIC

RM 8321 CRUISE AUTO METALLIC

RM 8325 AERIS AUTO METALLIC

RM 8300 DAISY AUTO METALLIC

RM 8335 SAHARA AUTO METALLIC

RM 8318 LUMINOUS AUTO METALLIC

RM 8364 BLUSKA AUTO METALLIC

RM 8316 CLIP AUTO METALLIC

# MASKARA®

6H ACRYLIC LAMINATE

TERMITE & BORER FREE | 1.5MM THICKNESS | LIGHT WEIGHT | DURABILITY & STRENGTH | IDEAL FOR VERTICAL APPLICATION | WATER & STAIN PROOF | 100% PURE ACRYLIC | 6H ANTI SCRATCH



RM 6300 CHEENI



RM 6302 GALAXY



RM 6318 STROKES



RM 6360 DOLPHIN



RM 6301 CRYSTAL



RM 6303 CAPPUCCINO



RM 6335 HONEY



RM 6352 TOFFEE



RM 6313 BUTTER



RM 6351 BEANZO



RM 6336 WOLF



RM 6349 BREWIN



RM 6348 LITCHI



RM 6319 ZARA



RM 6322 MAPLE



RM 6330 SKY



RM 6321 TIFFANY



RM 6343 HULK



RM 6333 CAROLINA



RM 6363 BROCCOLI



RM 6326 AURORA

EB Edge Band Available (1mm X 25mm)

MASKARA®

6H ACRYLIC LAMINATE

TERMITE & BORER FREE | 2MM THICKNESS | LIGHT WEIGHT | DURABILITY & STRENGTH | IDEAL FOR VERTICAL APPLICATION | WATER & STAIN PROOF | 100% PURE ACRYLIC | 6H ANTI SCRATCH



**RM 6099** SOLTERRA

FULL SHEET VIEW





**RM 6098** SABBIA

FULL SHEET VIEW

## FULL SHEET VIEW





**RM 6095** ETHERAL GREY

## FULL SHEET VIEW





**RM 8194** NERROX

MASKARA®

6H ACRYLIC LAMINATE

TERMITE & BORER FREE | 1.5MM THICKNESS | LIGHT WEIGHT | DURABILITY & STRENGTH | IDEAL FOR VERTICAL APPLICATION | WATER & STAIN PROOF | 100% PURE ACRYLIC | 6H ANTI SCRATCH



**RM 6097** SWIRLSTONE

FULL SHEET VIEW





**RM 6096** LUXNOIR

FULL SHEET VIEW



FULL SHEET VIEW





**RM 8103** GOLDMAR

FULL SHEET VIEW





**RM 8105** MOON DUST

MASKARA®
6H ACRYLIC LAMINATE

TERMITE & BORER FREE | 1.5MM THICKNESS | LIGHT WEIGHT | DURABILITY & STRENGTH | IDEAL FOR VERTICAL APPLICATION | WATER & STAIN PROOF | 100% PURE ACRYLIC | 6H ANTI SCRATCH



## FULL SHEET VIEW



**RM 8203** GOLD VEIN



FULL SHEET VIEW





**RM 8202** BM MIRAGE

FULL SHEET VIEW





**RM 8204** SILVER MIRAGE

MASKARA®

6H ACRYLIC LAMINATE

TERMITE & BORER FREE | 1.5MM THICKNESS | LIGHT WEIGHT | DURABILITY & STRENGTH | IDEAL FOR VERTICAL APPLICATION | WATER & STAIN PROOF | 100% PURE ACRYLIC | 6H ANTI SCRATCH



**RM 6017** BIANCO STATURIO



**RM 8017** ICELAND

MATTE FINISH



RM 6017



**RM 6021** GOLD FLAKES



**RM 6032** WHITE EBONY



**RM 6016** DYNA



**RM 6015** LILAC WHITE

MASKARA®

6H ACRYLIC LAMINATE

TERMITE & BORER FREE | 1.5MM THICKNESS | LIGHT WEIGHT | DURABILITY & STRENGTH | IDEAL FOR VERTICAL APPLICATION | WATER & STAIN PROOF | 100% PURE ACRYLIC | 6H ANTI SCRATCH




**RM 4050** PARCHMENT

**RM 4002** COTTON

**RM 4018** DUSKIN

**RM 4003** FRAPPE

**RM 4035** SANDCASTLE

**RM 4051** CONFETTI

Rang®

RM 4001 SNOW

RM 4000 SUGAR

RM 4013 MASKA

RM 4053 MOCASSIN

RM 4006 PEANUT

RM 4024 OSTRICH

RM 4007 CAMEL

RM 4044 MUSHROOM

RM 4036 BENJAMIN MOORE

EB Edge Band Available (1mm X 25mm)

# MASKARA®

6H ACRYLIC LAMINATE

MAKE IN INDIA

TERMITE & BORER FREE | 1.5MM THICKNESS | LIGHT WEIGHT | DURABILITY & STRENGTH | IDEAL FOR VERTICAL APPLICATION | WATER & STAIN PROOF | 100% PURE ACRYLIC | 6H ANTI SCRATCH



**RM 4030** MENTHOL



**RM 4033** TEAL



**RM 4021** AQUA



**RM 4063** OLIVE



**RM 4031** AMARIA



**RM 4043** BASIL



**RM 4017** FROST



**RM 4034** LAPIS



**RM 4026** OCEAN



**RM 4025** PACIFIC



**RM 4058** CHINTUS



**RM 4014** FLINT



**RM 4016** VONI



**RM 4029** RHINO



**RM 4015** PEBBLE



**RM 4055** OYSTER



**RM 4005** FOSSIL

Edge Band Available (1mm X 25mm)

# SOFT, GRACEFUL, AND BLOOMING NATURALLY

RM 4047 PETALS

RM 4022 CAREY

RM 4048 FLAMINGO

RM 4023 LAVENDER

RM 4049 CORAL

RM 4039 ORCHID

RM 4019 ONION

RM 4042 GULABJI

RM 4046 MAUVE

Edge Band Available (1mm X 25mm)

MASKARA®

6H ACRYLIC LAMINATE

MAKE IN INDIA

TERMITE & BORER FREE | 1.8MM THICKNESS | LIGHT WEIGHT | DURABILITY & STRENGTH | IDEAL FOR VERTICAL APPLICATION | WATER & STAIN PROOF | 100% PURE ACRYLIC | 6H ANTI SCRATCH

**RM 4027** SUNLIGHT

**RM 4011** MOMRO

**RM 4009** MIDNIGHT

Morning-bright hues
designed to awaken
your interiors.



RM 6125 PICANTE



RM 6019 ARCTIC



RM 6025 ARMOUR



RM 6024 KAMBABA



RM 6116 STORM



RM 6124 PIGEON

EB Edge Band Available (1mm X 25mm)

Inspired by the warmth of tradition and the beauty of muted tones, designed to bring graceful serenity into modern interiors.

**RM 8020**
**BISCOFF**

MATTE FINISH

**RM 8004**
**PASHMINA**

MATTE FINISH

Rang®

RM 8003
MINK
EB | MATTE FINISH

RM 8008
RIVERWAY
EB | MATTE FINISH

RM 8421
TURQUELLE
MATTE FINISH

RM 8011
GARDEN
EB | MATTE FINISH

RM 8001
DOVE
EB | MATTE FINISH

RM 8447
PETAL BLUSH
MATTE FINISH

RM 8010
BARBERRY
EB | MATTE FINISH

RM 8446
HEATHER
MATTE FINISH

RM 8015
TAPIOCA
EB | MATTE FINISH

RM 8016
ALUMINATI
EB | MATTE FINISH

RM 8005
STONINGTON
EB | MATTE FINISH

RM 8007
CITYSCAPE
EB | MATTE FINISH

EB Edge Band Available (1mm X 25mm)

MASKARA®

6H ACRYLIC LAMINATE

TERMITE & BORER FREE | 1.5MM THICKNESS | LIGHT WEIGHT | DURABILITY & STRENGTH | IDEAL FOR VERTICAL APPLICATION | WATER & STAIN PROOF | 100% PURE ACRYLIC | 6H ANTI SCRATCH



**RM 6041** MAHOGANY BURL

## FULL SHEET VIEW







**RM 6026** CLASSIC WALNUT



**RM 6029** BURMESE



**RM 6030** SMOKED ANTIQUE OAK



**RM 6033** ORIENTAL EBONY

EB Edge Band Available (1mm X 25mm)

MASKARA®
6H ACRYLIC LAMINATE

MAKE IN INDIA

TERMITE & BORER FREE | 1.5MM THICKNESS | LIGHT WEIGHT | DURABILITY & STRENGTH | IDEAL FOR VERTICAL APPLICATION | WATER & STAIN PROOF | 100% PURE ACRYLIC | 6H ANTI SCRATCH



**RM 6031** SMOKED CHESTNUT

FULL SHEET VIEW





**RM 6035** FIGURED AFROMOSIA

FULL SHEET VIEW





**RM 6038** FIGURED SMOKE ASH



**RM 6034** WALNUT CROTCH



**RM 6039** FIGURED OAK CROWN



**RM 8022** ORIENTAL EBONY MATT

MATTE FINISH

Edge Band Available (1mm X 25mm)

MASKARA®
6H ACRYLIC LAMINATE

TERMITE & BORER FREE | 1.5MM THICKNESS | LIGHT WEIGHT | DURABILITY & STRENGTH | IDEAL FOR VERTICAL APPLICATION | WATER & STAIN PROOF | 100% PURE ACRYLIC | 6H ANTI SCRATCH



**RL 2735** ★★
CELESTIAL GOLD
8 x 4



**RL 2733** ★★
ETHERAL GREY
8 x 4



**RL 2734** ★★
SILVER MIRAGE
8 x 4



**RL 2736** ★★
GOLDEN SPIDER
8 x 4



**RL 2723** ★★★
IVORY JEWEL
8 x 4



**RL 2727** ★★★
STATUARIO
8 x 2



**RL 2714** ★★
BIANCO LASA
8 x 2



**RL 2724** ★★★
CLASSIC WALNUT
8 x 4



**RL 2709** ★
FADED
8 x 2



**RL 2704** ★
RHINO
8 x 2



**RL 2720** ★★
FOSSIL
8 x 2



**RL 2701** ★
SNOW
8 x 4



**RL 2702** ★
FRAPPE
8 x 4



**RL 2705** ★
BENJAMIN MOORE
8 x 4



**RL 2732** ★
WILLYWONKA
8 x 4

MASKARA®

6H ACRYLIC LAMINATE

MAKE IN INDIA

TERMITE & BORER FREE

1.5MM THICKNESS

LIGHT WEIGHT

DURABILITY & STRENGTH

IDEAL FOR VERTICAL APPLICATION

WATER & STAIN PROOF

100% PURE ACRYLIC

100% PURE ACRYLIC

6H ANTI SCRATCH

Design is not just what it
looks like and feels like.
Design is how it works.



RL 2707 ★
BASIL
8 x 2



RL 2708 ★
MENTHOL
8 x 2



RL 2703 ★
LAPIS
8 x 2



RL 2721 ★★
SNOW
8 x 4



RL 2731 ★
ONION
8 x 4



RL 2717 ★★
ASMONY
8 x 2



RL 2710 ★★
METONYX
8 x 2



# RICHNESS IN FLOW

Bringing sweeping warmth and spacious elegance to every interior!

RRROR

Rang®



**RM 6401** GOLD MIRROR
SELF ADHESIVE



**RM 6403** BRONZE MIRROR
SELF ADHESIVE



**RM 6405** SILVER MIRROR
SELF ADHESIVE



**RM 6402** COPPER MIRROR
SELF ADHESIVE



**RM 6406** ROSE MIRROR
SELF ADHESIVE



**RM 6404** GREY MIRROR
SELF ADHESIVE

# TECHNICAL SPECIFICATION

| Parameters | Acrylic Laminate | High Gloss Laminate Mica | PU Coating/ Duco Paint | Back Painted Glass |
|---|---|---|---|---|
| Gloss Level | >90 | >70 | >85 | >85 |
| Scratch Proof | Anti Scratch | No | No | No |
| Color Consistency | Excellent | Not Good | Not Good | Not Good |
| Orange Peel | No | Yes | Yes | No |
| UV Resistance | Excellent | Bad | Bad | Bad |
| Water Resistance | Excellent | Bad | Bad | Excellent |
| DRY Heat Resistance | Excellent | Good | Bad | Bad |
| Volatile Organic Compounds (VOCs) | No | Yes | Yes | Yes |

## CAUSES OF YELLOW PATCHES AND COLOUR FADING AFTER INSTALLATION:



If hot cookware or utensils are directly placed on the laminate



Use of inferior or sub-standard dipped plywood or dipped lipping patti, which may chemically react with the adhesive




The use of synthetic rubber adhesives such as SR / Jat Pat, Bostic, Heatx, etc.



Prolonged exposure to high temperature (above 30°C-35°C)




Exposure to direct sunlight can gravity affect a laminated appearance

## REASONS FOR AIR BUBBLE FORMATIONS ON LAMINATES:



Insufficient or lack of pressing during the bonding period of laminate




Debonding in certain areas because of uneven substrate surface




Laminates are bonded in extremely humid conditions




Use of water base synthetic resin adhesive any other than PEVA (Polyethylene Vinyl Acetate Co-polymer)




When substrate loses moisture after installation



Use of extremely large acrylic / PVC laminate sheets for maximum utilization

### DISCLAIMER :

There can be colour variation in the material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the Acrylic laminate sheets / Acrylic Edge bending may vary from this brochure.




**Edge Band**
**Available Size : 1 MM X 25 MM***
Sizes are Subject to Availability

# Index

| Sr. No. | Design No. | Design Name | Pg. No. |
|---|---|---|---|
| 1 | RF 1000 | 2mm (Sugar) | 2 |
| 2 | RF 1001 | 2mm (Snow) | 2 |
| 3 | RF 1002 | 2mm (Cotton) | 2 |
| 4 | RF 1016 | 2mm (Voni) | 2 |
| 5 | RF 1028 | 2mm (Mocassin) | 2 |
| 6 | RF 1052 | 2mm (Moon Mist) | 2 |
| 7 | RF 1053 | 2mm (Hazelnut) | 2 |
| 8 | RF 1059 | 2mm (Bayleaf) | 2 |
| 9 | RF 1061 | 2mm (Pashmina) | 2 |
| 10 | RL 2701 ★ | SNOW | 30 |
| 11 | RL 2702 ★ | FRAPPE | 30 |
| 12 | RL 2703 ★ | LAPIS | 32 |
| 13 | RL 2704 ★ | RHINO | 30 |
| 14 | RL 2705 ★ | BENJAMIN MOORE | 30 |
| 15 | RL 2707 ★ | BASIL | 32 |
| 16 | RL 2708 ★ | MENTHOL | 32 |
| 17 | RL 2709 ★ | FADED | 30 |
| 18 | RL 2710 ★★ | METONYX | 32 |
| 19 | RL 2714 ★★ | BIANCO LASA | 30 |
| 20 | RL 2717 ★★ | ASMONY | 32 |
| 21 | RL 2720 ★★ | FOSSIL | 30 |
| 22 | RL 2721 ★★ | SNOW | 32 |
| 23 | RL 2723 ★★★ | IVORY JEWEL | 29 |
| 24 | RL 2724 ★★★ | CLASSIC WALNUT | 30 |
| 25 | RL 2727 ★★★ | STATUARIO | 29 |
| 26 | RL 2731 ★ | ONION | 32 |
| 27 | RL 2732 ★ | WILLYWONKA | 30 |
| 28 | RL 2733 ★★ | ETHERAL GREY | 29 |
| 29 | RL 2734 ★★ | SILVER MIRAGE | 29 |
| 30 | RL 2735 ★★ | CELESTIAL GOLD | 29 |
| 31 | RL 2736 ★★ | GOLDEN SPIDER | 29 |
| 32 | RM 4000 | SUGAR | 16 |
| 33 | RM 4001 | SNOW | 16 |
| 34 | RM 4002 | COTTON | 15 |
| 35 | RM 4003 | FRAPPE | 15 |
| 36 | ● RM 4005 | FOSSIL | 18 |
| 37 | RM 4006 | PEANUT | 16 |
| 38 | RM 4007 | CAMEL | 16 |
| 39 | RM 4009 | MIDNIGHT | 21 |
| 40 | ● RM 4011 | MOMRO | 21 |
| 41 | RM 4013 | MASKA | 16 |
| 42 | RM 4014 | FLINT | 18 |
| 43 | RM 4015 | PEBBLE | 18 |
| 44 | RM 4016 | VONI | 18 |
| 45 | RM 4017 | FROST | 17 |
| 46 | RM 4018 | DUSKIN | 15 |
| 47 | RM 4019 | ONION | 20 |
| 48 | RM 4021 | AQUA | 17 |
| 49 | RM 4022 | CAREY | 20 |
| 50 | RM 4023 | LAVENDER | 20 |
| 51 | ● RM 4024 | OSTRICH | 16 |
| 52 | RM 4025 | PACIFIC | 17 |
| 53 | RM 4026 | OCEAN | 17 |
| 54 | ● RM 4027 | SUNLIGHT | 21 |
| 55 | RM 4029 | RHINO | 18 |
| 56 | RM 4030 | MENTHOL | 17 |
| 57 | ● RM 4031 | AMARIA | 17 |
| 58 | RM 4033 | TEAL | 17 |
| 59 | RM 4034 | LAPIS | 17 |
| 60 | RM 4035 | SANDCASTLE | 15 |
| 61 | RM 4036 | BENJAMIN MOORE | 16 |
| 62 | RM 4039 | ORCHID | 20 |
| 63 | RM 4042 | GULABJI | 20 |
| 64 | RM 4043 | BASIL | 17 |
| 65 | RM 4044 | MUSHROOM | 16 |
| 66 | RM 4046 | MAUVE | 20 |
| 67 | RM 4047 | PETALS | 20 |
| 68 | RM 4048 | FLAMINGO | 20 |
| 69 | RM 4049 | CORAL | 20 |
| 70 | RM 4050 | PARCHMENT | 15 |
| 71 | RM 4051 | CONFETTI | 15 |
| 72 | RM 4053 | MOCASSIN | 16 |
| 73 | RM 4055 | OYSTER | 18 |
| 74 | RM 4058 | CHINTUS | 18 |
| 75 | RM 4063 | OLIVE | 17 |
| 76 | ● RM 6015 | LILAC WHITE | 14 |
| 77 | RM 6016 | DYNA | 14 |
| 78 | RM 6017 | BIANCO STATURIO | 13 |
| 79 | ● RM 6019 | ARCTIC | 22 |
| 80 | ● RM 6021 | GOLD FLAKES | 14 |
| 81 | ● RM 6024 | KAMBABA | 22 |
| 82 | RM 6025 | ARMOUR | 22 |
| 83 | RM 6026 | CLASSIC WALNUT | 26 |
| 84 | RM 6029 | BURMESE | 26 |
| 85 | RM 6030 | SMOKED ANTIQUE OAK | 26 |
| 86 | ● RM 6031 | SMOKED CHESTNUT | 27 |
| 87 | ● RM 6032 | WHITE EBONY | 14 |
| 88 | ● RM 6033 | ORIENTAL EBONY | 26 |
| 89 | ● RM 6034 | WALNUT CROTCH | 28 |
| 90 | RM 6035 | FIGURED AFROMOSIA | 27 |
| 91 | ● RM 6038 | FIGURED SMOKE ASH | 28 |
| 92 | RM 6039 | FIGURED OAK CROWN | 28 |
| 93 | RM 6041 | MAHOGANY BURL | 25 |
| 94 | RM 6095 | ETHERAL GREY | 8 |
| 95 | RM 6096 | LUXNOIR | 9 |
| 96 | RM 6097 | SWIRLSTONE | 9 |
| 97 | RM 6098 | SABBIA | 7 |
| 98 | RM 6099 | SOLTERRA | 7 |
| 99 | ● RM 6116 | STORM | 22 |
| 100 | ● RM 6124 | PIGEON | 22 |
| 101 | RM 6125 | PICANTE | 22 |
| 102 | RM 6300 | CHEENI | 5 |
| 103 | RM 6301 | CRYSTAL | 5 |
| 104 | ● RM 6302 | GALAXY | 5 |
| 105 | RM 6303 | CAPPUCCINO | 5 |
| 106 | RM 6313 | BUTTER | 5 |
| 107 | RM 6318 | STROKES | 5 |
| 108 | RM 6319 | ZARA | 6 |
| 109 | RM 6321 | TIFFANY | 6 |
| 110 | RM 6322 | MAPLE | 6 |
| 111 | RM 6326 | AURORA | 6 |
| 112 | RM 6330 | SKY | 6 |
| 113 | RM 6333 | CAROLINA | 6 |
| 114 | RM 6335 | HONEY | 5 |
| 115 | RM 6336 | WOLF | 5 |
| 116 | RM 6343 | HULK | 6 |
| 117 | RM 6348 | LITCHI | 6 |
| 118 | RM 6349 | BREWIN | 6 |
| 119 | RM 6351 | BEANZO | 5 |
| 120 | RM 6352 | TOFFEE | 5 |
| 121 | RM 6360 | DOLPHIN | 5 |
| 122 | RM 6363 | BROCCOLI | 6 |
| 123 | RM 6401 | GOLD MIRROR | 34 |
| 124 | RM 6402 | COPPER MIRROR | 34 |
| 125 | RM 6403 | BRONZE MIRROR | 34 |
| 126 | RM 6404 | GREY MIRROR | 34 |
| 127 | RM 6405 | SILVER MIRROR | 34 |
| 128 | RM 6406 | ROSE MIRROR | 34 |
| 129 | RM 8001 | DOVE | 24 |
| 130 | RM 8003 | MINK | 24 |
| 131 | RM 8004 | PASHMINA | 23 |
| 132 | RM 8005 | STONINGTON | 24 |
| 133 | RM 8007 | CITYSCAPE | 24 |
| 134 | RM 8008 | RIVERWAY | 24 |
| 135 | RM 8010 | BARBERRY | 24 |
| 136 | RM 8011 | GARDEN | 24 |
| 137 | RM 8015 | TAPIOCA | 24 |
| 138 | RM 8016 | ALUMINATI | 24 |
| 139 | ● RM 8017 | ICELAND | 13 |
| 140 | RM 8020 | BISCOFF | 23 |
| 141 | ● RM 8022 | ORIENTAL EBONY MATT | 28 |
| 142 | RM 8103 | GOLDMAR | 10 |
| 143 | RM 8105 | MOON DUST | 10 |
| 144 | RM 8194 | NERROX | 8 |
| 145 | RM 8202 | BM MIRAGE | 12 |
| 146 | ● RM 8203 | GOLD VEIN | 11 |
| 147 | RM 8204 | SILVER MIRAGE | 12 |
| 148 | RM 8300 | DAISY | 4 |
| 149 | RM 8301 | OPAL WHITE | 3 |
| 150 | RM 8303 | FAWN | 3 |
| 151 | RM 8313 | MISTY ROSE | 3 |
| 152 | RM 8316 | CLIP | 4 |
| 153 | RM 8318 | LUMINOUS | 4 |
| 154 | RM 8321 | CRUISE | 4 |
| 155 | RM 8322 | ROSY | 3 |
| 156 | RM 8323 | LAVTONE | 3 |
| 157 | RM 8325 | AERIS | 4 |
| 158 | RM 8330 | PEPPERMINT | 4 |
| 159 | RM 8334 | GLACIER VEIL | 4 |
| 160 | RM 8335 | SAHARA | 4 |
| 161 | RM 8343 | SERENE GREEN | 4 |
| 162 | RM 8346 | BERRY | 3 |
| 163 | RM 8364 | BLUSKA | 4 |
| 164 | RM 8421 | TURQUELLE | 24 |
| 165 | RM 8446 | HEATHER | 24 |
| 166 | RM 8447 | PETAL BLUSH | 24 |

DILIPJI BHANDARI® GROUP

Rang®

RANGE OF DECORATIVE PRODUCTS

## OUR RANGE OF PRODUCTS

MASKARA®
6H ACRYLIC LAMINATE

MASARA
REDEFINED ACRYLIC

BERN®
THE META THERMO MICA

ONIT®
SEAMLESS CHARCOAL

ART BY ONE®
DECORATIVE LOUVERS

WALLMATE™
DECORATIVE LOUVERS

GROOVE® COLLECTION
EARTH, PASTEL AND FOREST LOUVERS

LITIA®
FLUTED ACRYLIC

Charco® CHARM
DECORATIVE CHARCOAL PANELS

INTERLOCKIT™
WALLCLADS & FITTINGS

FADED™
ACRYLIC 2.0

NAZRANA®
ENGRAVED ACRYLIC

MDF
HDMHR – HIGH-DENSITY MOISTURE HIGH RESISTANCE

BELLA CEILO™
SOFFIT PANEL

POWER BOARD
500 X PVC, WPC BOARD

ECO BOARD
AFFORDABLE WPC BOARD

HYBRID BOARD
600 X PVC, WPC BOARD

rangdecor.in
Follow us on :